



MICRÓFONOS

Home Studio

Modelo	Descripción
FOX	Micrófono USB. Calidad de estudio de 24 bits a 96 kHz como en estudios de grabación profesional. Conversión precisa de la señal por una cápsula de condensador de diafragma grande. Salida de auriculares con monitoreo de latencia cero. Botón de silencio para silenciar el micrófono. Interruptor de ganancia para grabar voz o instrumentos.

Touring Gear Series

Modelo	Descripción
Vocales	
TG V35d s	Micrófono dinámico vocal (supercardiode), con interruptor, incluye cable con conector XLR
TG V50d	Micrófono dinámico vocal (cardioid)
TG V56c	Micrófono condensador vocal (cardioid), requiere fuente phantom
TG V70d	Micrófono dinámico vocal (hypercardioid)
TG V90r	Micrófono de cinta vocal (cardioid)
TG V96c	Micrófono verdadero condensador, vocal (cardioid), requiere fuente phantom

Modelo	Descripción
Solapa / Vincha	
TG L58c (TG)	Micrófono mini condenser lavalier (omnidireccional), beige o negro, conector 4-pin mini-XLR pin out Shure
TG H34c	Micrófono vincha condenser (cardioid), negro, conector 4-pin mini-XLR, paraviento
TH H56c	Micrófono vincha condenser (omnidireccional), beige, conector conector 4-pin mini-XLR (TG)
TG H74c	Micrófono vincha condenser (supercardiode), beige o negro, conector 4-pin mini-XLR
MA-PVA (TG)	Adaptador de alimentación Phantom con entrada mini-XLR 4pin



Touring Gear Series

Modelo	Descripción
Percusión	
TG D35d	Micrófono dinámico (super cardioide). Incluye abrazadera MKV87 montaje directo en Tom o Snare
TG D35d Triple Set	Conjunto de 3 Micrófonos dinámicos (super cardioide). Incluye 3 abrazaderas MKV87 montaje directo en Tom o Snare
TG D57c	Micrófono condensador para batería (cardioide), clip-on, cuello de cisne recto, requiere fuente phantom
TG D58c	Micrófono condensador para batería (cardioide), clip-on, cuello de cisne en ángulo, requiere fuente phantom
TG D71c	Micrófono condensador boundary (semicardioide), para batería, cajón y piano, requiere phantom.
TG-Drum-Set Pro M	Set de batería compuesto por: 1xD71, 4x D35d, 2x I53c, incluye pinzas de micrófonos y valija de transporte
TG-Drum-Set Pro L	Set de batería compuesto por: 1x D71, 2x D57, 2x D58, 2x I53, incluye pinzas de micrófonos y valija de transporte.

Modelo	Descripción
Instrumentos	
TG I51d	Micrófono dinámico instrumento (cardioide), para amplificador de guitarra, redoblante y bombo
TG I53c	Micrófono de condensador instrumento (cardioide), requiere fuente phantom
TG I53c Stereo Set	Set de micrófonos estéreo apareados, 2 clamps MKV 109, 2 paravientos WS 53, caja de transporte
TG I55c Helix	Micrófono de condensador instrumento (omnidireccional) con pinza Helix, conector 4-pin mini-XLR
TG I57c	Micrófono de condensador instrumento (cardioide), clip-on, instrumentos de viento, conector 4-pin mini-XLR

**Legendary / Studio / Broadcasting**

Modelo	Descripción
M 88 TG	Micrófono dinámico direccional para voces e instrumentos (hipercardiode)
M 201 TG	Micrófono dinámico direccional para instrumentos (hipercardiode)
M130	Micrófono dinámico de doble cinta (número ocho), diafragmas de aluminio puro
M160	Micrófono dinámico de doble cinta (hipercardiode), diafragmas de aluminio puro
MC 930	Micrófono estudio diafragma pequeño de condensador (cardioid), con switch pre-atenuación (-15 dB), switch filtro de bajos
MC 930 Stereo-Set	Set de micrófonos estéreo apareados, 2 susp. Elásticas EA 19/25, 2 paravientos WS 53, caja de transporte
MC 950	Micrófono estudio diafragma pequeño de condensador (supercardioid), con switch pre-atenuación (-15 dB), switch filtro de bajos

Classis Series

Modelo	Descripción
Classis GM 105	Micrófono cuello de cisne condensador (cardioid), negro, dos segmentos flexibles, 500 mm de largo, 3 pin XLR macho, paraviento
ZSH 20	Amortiguación flexible para micrófonos de cuello de cisne SHM, con XLR macho, negro, con contratuerca

Medición

Modelo	Descripción
MM 1	Micrófono medición de condensador electret, para mediciones acústicas, requiere fuente phantom (omnidireccional)

Mecánicos

Modelo	Descripción
EA 19/25	Suspensión elástica para diámetro 19 - 25 mm, incluye abrazadera MKV 11
MKV 87	Pinza de micrófono con rosca 3/8"

Anti Pop y Paraviento

Modelo	Descripción
WS 10	Paraviento para MCE10/50/51, gris carbón
WS 20 WS/AZ	Paraviento para Opus 54, blanco o gris carbón
WS 53 AZ	Paraviento para TG I53/56/57c, TG D57/58c, MCE 530, MC 930, gris carbón
WS 54 SC/SW	Paraviento para TG H74/75, beige o negro
WS 59 AZ	Paraviento para M, TG micrófonos vocales, gris carbón
WS 97 AZ	Paraviento para los micrófonos de percusión, instrumentos, cuello de cisne, gris carbón
WS 101 AZ	Paraviento para M 201, gris carbón



SISTEMAS INALÁMBRICOS

Sistema Inalámbrico TG 500 Transmisores y Receptores

Modelo	Descripción
TG 500SR	Receptor simple, Rango operacional hasta 120 metros, ancho de banda de hasta 40 MHz, pantalla OLED, respuesta en frecuencia 45-15Khz, entrada XLR y jack balanceada analógica, 19", BNC, Antenas BNC desmontables, sincronización infrarroja.
TG 500DR	Receptor doble, Rango operacional hasta 120 metros, ancho de banda de hasta 40 MHz, fuente de alimentación integrada, mezcla en la salida de audio, alimentación phantom para antenas remotas pantalla, OLED, respuesta en frecuencia 45-15Khz, entrada XLR y jack balanceada analógica, 19", BNC, Antenas BNC desmontables, sincronización infrarroja.
TG 500H-D	Transmisor de mano, interruptor de ganancia variable 10mW - 50mW, peso 230gr, duración de batería 10 horas, cápsula TG V50 dinámico, sincronización infrarroja, alcance de trabajo 120m, incluye funda.
TG 500H-C	Transmisor de mano, interruptor de ganancia variable 10mW - 50mW, peso 230gr, duración de batería 10 horas, cápsula TG V56 condensador, sincronización infrarroja, alcance de trabajo 120m, incluye funda.
TG 500B	Transmisor de bolsillo, sincronización infrarroja, conector mini XLR 4 pines (Macho) para micrófonos o instrumentos, interruptor de ganancia de 3 niveles, duración de batería 10 horas, alcance de trabajo hasta 120 metros, incluye funda.

Sistema Inalámbrico TG 500 Sets

Modelo	Descripción
TG 510	Set para instrumento TG500SR + TG500B + Cable instrumental WA-CGI
TG 550	Set Vocal TG500SR + TG500H-D (TG V50 dynamic)
TG 556	Set Vocal TG500SR + TG500H-C (TG V56 condenser)
TG 558	Set Presentador TG500SR + TG500B + TG L58 Lavalier
TG 534	Set diadema TG500SR + TG500B + TG H34

**Sistema Inalámbrico Digital TG 1000**

Modelo	Descripción
TG 1000 DR	Región A. Receptor doble digital, UHF 470-789 MHz, 19", Cuerpo metálico, Display OLED, DANTE Audio Out, Interfase ethernet, incluye antenas
TG 1000 H	Región A. Transmisor de mano, UHF 470-789 MHz, Cuerpo metálico, Display OLED, Sin capsula, Incluye MKV11, Funda, 2 baterías AA
TG 1000 B	Región A. Transmisor de Bolsillo, UHF 470-789 MHz, Cuerpo metálico, Display OLED, Incluye antena desmontable, 2 Clips, 2 baterías AA y estuche
TG V50 W	Capsula intercambiable, dinámica cardioide para TG1000 H
TG V56 W	Capsula intercambiable, condensador cardioide para TG1000 H
TG V70 W	Capsula intercambiable, dinámica hypercardioide para TG1000 H
TG V90 W	Capsula intercambiable de cinta, cardioide para TG1000 H
TG V96 W	Capsula intercambiable True Condenser cardioide para TG1000 H
WA-ATO	Antena pasiva omnidireccional, conector BNC
WA-ATD	Antena pasiva direccional, conector BNC
WA-AC5	Cable de antena BNC, 5 metros, baja atenuación
WA-CGI	Cable de conexión de instrumento con jack 1/4" / 4-pin mini-XLR

AURICULARES | PROFESIONALES - MONITOREO / STUDIO / DJ**DT 700 Series Headphones**

Modelo	Descripción
DT 770 PRO	Auriculares de estudio, sistema cerrado, cable en espiral de un lado, adaptador estéreo mini-jack 1/4", 80 Ohm, 250 Ohm
DT 770 M	Auriculares de monitoreo para bateristas e ingenieros FOH, sistema cerrado, cable 3 m de un lado, control de volumen, 105 dB SPL, 35 dBA de aislamiento, adaptador estéreo mini-jack 1/4", 80 Ohm
DT 880 PRO	Auriculares de estudio, semi-abierto, cable en espiral de un lado, adaptador estéreo mini-jack 1/4", 250 Ohm
DT 990 PRO	Auriculares de estudio, sistema abierto, cable en espiral de un lado, adaptador estéreo mini-jack 1/4", 250 Ohm

DT 1000 Series Headphones

Modelo	Descripción
DT 1770 PRO	Auriculares de estudio, Tecnología Tesla, sistema cerrado, cable de un lado, adaptador estéreo mini-jack 1/4", 250 Ohm
DT 1990 PRO	Auriculares de estudio, Tecnología Tesla, sistema abierto, cable de un lado, adaptador estéreo mini-jack 1/4", 250 Ohm


**AURICULARES | PROFESIONALES CON Y SIN MIC.
1 Y 2 OREJAS MONITOREO / STUDIO / COMENTARISTAS / ORDENES**
DT 100 Series Headphones / Headset

Modelo	Descripción
DT 100	Auriculares de estudio, sistema cerrado, con cable 3 m, adaptador estéreo mini-jack 1/4", gris o negro, 400 Ohm
DT 108	Auriculares un solo oído, con micrófono dinámico, gris, cable de conexión con extremos libres, 200/400 Ohm
DT 109	Auriculares, con micrófono dinámico, gris, cable de conexión con los extremos libres, 200/400 Ohm
DT 150	Auriculares de estudio, sistema cerrado, con cable 3 m, adaptador estéreo mini-jack 1/4", gris, 250 Ohm

DT 200 Series Headphones / Headset

Modelo	Descripción
DT 240 PRO	Auriculares de estudio, sistema cerrado, con cable en espiral, adaptador estéreo mini-jack 1/4", 34 Ohm
DT 250	Auriculares de estudio, sistema cerrado, con cable en espiral, adaptador estéreo mini-jack 1/4", 80 Ohm
DT 252	Auriculares de estudio, un solo oído, sistema cerrado, con cable en espiral, adaptador estéreo mini-jack 1/4", 80 Ohm
DT 280 MK II	Auriculares de un solo oído, con micrófono dinámico (hipercardiode), cable de conexión de 3 m con extremos libres, con el micrófono pivotante, 200/250 Ohm
DT 290 MK II	Auricular con micrófono dinámico (hipercardiode), cable de conexión de 3 m con extremos libres, con el micrófono pivotante, 200/250 Ohm
DT 287 PV MKII	Auricular de un solo oído, con micrófono de condensador (cardioid), para alimentación phantom, cable de conexión de 3 m con extremos libres, con el micrófono giratorio, 250 Ohm
DT 297 PV MK II	Auricular con micrófono de condensador (cardioid), para alimentación phantom, cable de conexión de 3 m con extremos libres, con el micrófono giratorio, 250 Ohm

DT 700 Series Headphones / Headset

Modelo	Descripción
DT 790	Auricular con micrófono dinámico (hipercardiode), cable de conexión de 1,5 m con extremos libres, 200/80 Ohm



AURICULARES CONSUMER

Auriculares In-Ear

Modelo	Descripción
Beat Byrd	Auriculares con sonido balanceado y bajos potentes. Carcasas de forma ergonómica. Cable flexible.
Soul Byrd	Auriculares intrauditivos con sonido equilibrado y buena resolución. Carcasas de forma ergonómica. Control remoto universal de 3 botones con micrófono. Materiales de alta calidad y fiabilidad real.

Auriculares Exclusive Line

Modelo	Descripción
T1 Audiophile	Auriculares estéreo, tecnología Tesla, 32 Ohm, sistema semi abierto, cable simétrico 6-pin, doble cara, 1/4" macho estéreo (6,35 mm) oro vaporizado, caja de aluminio
T5 Audiophile Portable	Auriculares estéreo, tecnología Tesla, 32 Ohm, sistema cerrado, cable de doble cara, adaptador de oro mini jack /1/4", caja de aluminio y bolsa de transporte
Amiron wireless	Auriculares wireless, tecnología Tesla, sistema cerrado, Bluetooth, touchpad, con micrófono, cable extraíble 3,5 mm mini jack
Amiron wireless copper	Auriculares wireless, tecnología Tesla, sistema cerrado, Bluetooth, touchpad, con micrófono, cable extraíble 3,5 mm mini jack
Amiron Home 250	Auriculares estéreo, tecnología Tesla, 250 Ohm, sistema abierto, cable dos lados, doble cara, 3,5 mm mini jack con adaptador 1/4" macho estéreo (6,35 mm), caja dura

Auriculares Premium Line

Modelo	Descripción
Lagoon ANC	Auriculares Bluetooth, color gris/marron o negro/azul, wireless, cancelación de ruido activo, touch pad universal (iOS & Android), guiado por luz, incluye case, cable de carga y de audio
Aventho wireless	Auricular wireless estéreo portátil, marron o negro, sistema cerrado con Bluetooth, tecnología Tesla, touchpad, cable extraíble con mini jack de 3,5 mm
Aventho	Auricular estéreo portátil, marron o negro, sistema cerrado, tecnología Tesla, con control universal de 3 botones (Apple & Android), cable extraíble con mini jack de 3,5 mm
DT 880 Edition	Auricular estéreo, 32 ohm, sistema semi cerrado, cable de un lado, con mini jack de 3,5 mm y adaptador 1/4"

PARLANTES

Inalámbricos

Modelo	Descripción
Phonum	Combinación de micrófono y parlante, Bluetooth, conjunto de micrófonos de conformación de haz, USB C, NFC, Panel táctil, cable USB C incl. Hardcase de la batería



LAVALIER

Subminiature

Modelo	Descripción
6060-OC-U-B00	6060 CORE Omni Submini Mic, Normal SPL, Black, MicroDot
6060-OC-U-B03	6060 CORE Omni Submini Mic, Normal SPL, Black, 3 pin LEMO
6060-OC-U-B10	6060 CORE Omni Submini Mic, Normal SPL, Black, TA4F Mini-XLR
6060-OC-U-B34	6060 CORE Omni Submini Mic, Normal SPL, Black, Mini-Jack
6060-OC-U-C00	6060 CORE Omni Submini Mic, Normal SPL, Brown, MicroDot
6060-OC-U-C03	6060 CORE Omni Submini Mic, Normal SPL, Brown, 3 pin LEMO
6060-OC-U-C10	6060 CORE Omni Submini Mic, Normal SPL, Brown, TA4F Mini-XLR
6060-OC-U-C34	6060 CORE Omni Submini Mic, Normal SPL, Brown, Mini-Jack
6060-OC-U-F00	6060 CORE Omni Submini Mic, Normal SPL, Beige, MicroDot
6060-OC-U-F03	6060 CORE Omni Submini Mic, Normal SPL, Beige, 3 pin LEMO
6060-OC-U-F10	6060 CORE Omni Submini Mic, Normal SPL, Beige, TA4F Mini-XLR
6060-OC-U-F34	6060 CORE Omni Submini Mic, Normal SPL, Beige, Mini-Jack
6060-OC-U-W00	6060 CORE Omni Submini Mic, Normal SPL, White, MicroDot
6060-OC-U-W03	6060 CORE Omni Submini Mic, Normal SPL, White, 3 pin LEMO
6060-OC-U-W10	6060 CORE Omni Submini Mic, Normal SPL, White, TA4F Mini-XLR
6060-OC-U-W34	6060 CORE Omni Submini Mic, Normal SPL, White, Mini-Jack
6061-OC-U-B00	6061 CORE Omni Submini Mic, Loud SPL, Black, MicroDot
6061-OC-U-B03	6061 CORE Omni Submini Mic, Loud SPL, Black, 3 pin LEMO
6061-OC-U-B10	6061 CORE Omni Submini Mic, Loud SPL, Black, TA4F Mini-XLR
6061-OC-U-B34	6061 CORE Omni Submini Mic, Loud SPL, Black, Mini-Jack
6061-OC-U-C00	6061 CORE Omni Submini Mic, Loud SPL, Brown, MicroDot
6061-OC-U-C03	6061 CORE Omni Submini Mic, Loud SPL, Brown, 3 pin LEMO
6061-OC-U-C10	6061 CORE Omni Submini Mic, Loud SPL, Brown, TA4F Mini-XLR
6061-OC-U-C34	6061 CORE Omni Submini Mic, Loud SPL, Brown, Mini-Jack
6061-OC-U-F00	6061 CORE Omni Submini Mic, Loud SPL, Beige, MicroDot
6061-OC-U-F03	6061 CORE Omni Submini Mic, Loud SPL, Beige, 3 pin LEMO
6061-OC-U-F10	6061 CORE Omni Submini Mic, Loud SPL, Beige, TA4F Mini-XLR
6061-OC-U-F34	6061 CORE Omni Submini Mic, Loud SPL, Beige, Mini-Jack
6061-OC-U-W00	6061 CORE Omni Submini Mic, Loud SPL, White, MicroDot
6061-OC-U-W03	6061 CORE Omni Submini Mic, Loud SPL, White, 3 pin LEMO
6061-OC-U-W10	6061 CORE Omni Submini Mic, Loud SPL, White, TA4F Mini-XLR
6061-OC-U-W34	6061 CORE Omni Submini Mic, Loud SPL, White, Mini-Jack



Classic

Modelo	Descripción
4060-OC-C-B00	4060 CORE Omni Mic, Normal SPL, Black, MicroDot
4060-OC-C-B03	4060 CORE Omni Mic, Normal SPL, Black, 3-pin LEMO
4060-OC-C-B10	4060 CORE Omni Mic, Normal SPL, Black, TA4F Mini-XLR
4060-OC-C-B34	4060 CORE Omni Mic, Normal SPL, Black, Mini-Jack
4060-OC-C-C00	4060 CORE Omni Mic, Normal SPL, Brown, MicroDot
4060-OC-C-C03	4060 CORE Omni Mic, Normal SPL, Brown, 3-pin LEMO
4060-OC-C-C10	4060 CORE Omni Mic, Normal SPL, Brown, TA4F Mini-XLR
4060-OC-C-C34	4060 CORE Omni Mic, Normal SPL, Brown, Mini-Jack
4060-OC-C-F00	4060 CORE Omni Mic, Normal SPL, Beige, MicroDot
4060-OC-C-F03	4060 CORE Omni Mic, Normal SPL, Beige, 3-pin LEMO
4060-OC-C-F10	4060 CORE Omni Mic, Normal SPL, Beige, TA4F Mini-XLR
4060-OC-C-F34	4060 CORE Omni Mic, Normal SPL, Beige, Mini-Jack
4060-OC-C-W00	4060 CORE Omni Mic, Normal SPL, White, MicroDot
4060-OC-C-W03	4060 CORE Omni Mic, Normal SPL, White, 3-pin LEMO
4060-OC-C-W10	4060 CORE Omni Mic, Normal SPL, White, TA4F Mini-XLR
4060-OC-C-W34	4060 CORE Omni Mic, Normal SPL, White, Mini-Jack
4061-OC-C-B00	4061 CORE Omni Mic, Loud SPL, Black, MicroDot
4061-OC-C-B03	4061 CORE Omni Mic, Loud SPL, Black, 3-pin LEMO
4061-OC-C-B10	4061 CORE Omni Mic, Loud SPL, Black, TA4F Mini-XLR
4061-OC-C-B34	4061 CORE Omni Mic, Loud SPL, Black, Mini-Jack
4061-OC-C-C00	4061 CORE Omni Mic, Loud SPL, Brown, MicroDot
4061-OC-C-C03	4061 CORE Omni Mic, Loud SPL, Brown, 3-pin LEMO
4061-OC-C-C10	4061 CORE Omni Mic, Loud SPL, Brown, TA4F Mini-XLR
4061-OC-C-C34	4061 CORE Omni Mic, Loud SPL, Brown, Mini-Jack
4061-OC-C-F00	4061 CORE Omni Mic, Loud SPL, Beige, MicroDot
4061-OC-C-F03	4061 CORE Omni Mic, Loud SPL, Beige, 3-pin LEMO
4061-OC-C-F10	4061 CORE Omni Mic, Loud SPL, Beige, TA4F Mini-XLR
4061-OC-C-F34	4061 CORE Omni Mic, Loud SPL, Beige, Mini-Jack
4061-OC-C-W00	4061 CORE Omni Mic, Loud SPL, White, MicroDot
4061-OC-C-W03	4061 CORE Omni Mic, Loud SPL, White, 3-pin LEMO
4061-OC-C-W10	4061 CORE Omni Mic, Loud SPL, White, TA4F Mini-XLR
4061-OC-C-W34	4061 CORE Omni Mic, Loud SPL, White, Mini-Jack



Modelo	Descripción
4062-OC-C-B00	4062 CORE Omni Mic, Extreme SPL, Black, MicroDot
4062-OC-C-F00	4062 CORE Omni Mic, Extreme SPL, Beige, MicroDot
4063-OC-C-B00	4063 CORE Omni Mic, Loud SPL & DC, Black, MicroDot
4063-OC-C-F00	4063 CORE Omni Mic, Loud SPL & DC, Beige, MicroDot
4063-OC-C-W00	4063 CORE Omni Mic, Loud SPL & DC, White, MicroDot
4071-OC-C-B00	4071 CORE Omni Mic, Presence Boost, Loud SPL, Black, MicroDot
4071-OC-C-F00	4071 CORE Omni Mic, Presence Boost, Loud SPL, Beige, MicroDot
4071-OC-C-W00	4071 CORE Omni Mic, Presence Boost, Loud SPL, White, MicroDot

Direct

Modelo	Descripción
4080-DC-D-B00	4080 CORE Cardioid Mic, Normal SPL, Black, MicroDot
4080-DC-D-B03	4080 CORE Cardioid Mic, Normal SPL, Black, 3-pin LEMO
4080-DC-D-B10	4080 CORE Cardioid Mic, Normal SPL, Black, TA4F Mini-XLR
4080-DC-D-B34	4080 CORE Cardioid Mic, Normal SPL, Black, Mini-Jack

Heavy Duty

Modelo	Descripción
4660-OC-H-B00	4660 CORE Heavy Duty Omni Mic, Normal SPL, Black, MicroDot
4660-OC-H-B03	4660 CORE Heavy Duty Omni Mic, Normal SPL, Black, 3-pin LEMO
4660-OC-H-F00	4660 CORE Heavy Duty Omni Mic, Normal SPL, Beige, MicroDot
4661-OC-H-B00	4661 CORE Heavy Duty Omni Mic, Loud SPL, Black, MicroDot
4661-OC-H-B03	4661 CORE Heavy Duty Omni Mic, Loud SPL, Black, 3-pin LEMO
4661-OC-H-F00	4661 CORE Heavy Duty Omni Mic, Loud SPL, Beige, MicroDot
4671-OC-H-B00	4671 CORE Heavy Duty Omni Mic, Presense Boost, Loud SPL, Black, MicroDot



LAVALIER

Kits

Modelo	Descripción
KIT-4060-OC-LMK	4060 CORE Lavalier Microphone Kit
KIT-4071-OC-EMK	4071 CORE ENG/EFP Microphone Kit
KIT-4071-OC-FMK	4071 CORE Film Microphone Kit
KIT-4060-OC-IMK	4060 CORE Instrument Microphone Kit
KIT-4061-OC-IMK	4061 CORE Instrument Microphone Kit
KIT-4060-OC-SMK	4060 CORE Stereo Microphone Kit
KIT-4061-OC-SMK	4061 CORE Stereo Microphone Kit

Accesorios Lavalier

Modelo	Descripción
ADH0002	Double-Sided Concealer Tape, 25 pcs
ADH0002-500	Double-Sided Concealer Tape, 500 pcs
ADH0005	Double-Sided Mic Tape, 50 pcs
DAK4060	Accessory Kit for Miniatures
SCM0001	Heavy Duty Clip, Black
SCM0004-B	Clip, Black
SCM0004-Bx	Clip, Black, 10 pcs
SCM0004-W	Clip, White
SCM0004-Wx	Clip, White, 10 pcs
SCM0008-B	Double Lock Clip, Black
SCM0008-Bx	Double Lock Clip, Black, 10 pcs
SCM0008-W	Double Lock Clip, White
SCM0013-B	4-way Clip, Black
SCM0013-Bx	4-way Clip, Black, 10 pcs
SCM0017-B	Curved Clip, Black
SCM0017-Bx	Curved Clip, Black, 10 pcs
SCM0017-W	Curved Clip, White
SCM0017-Wx	Curved Clip, White, 10 pcs
SCM0018-B	Curved Clip, Double, Black
SCM0020-B	Heavy Duty Single Clip
SCM0030-B	8-way Clip for 6060 series, Black



Accesorios Lavalier

Modelo	Descripción
SCM0030-W	8-way Clip for 6060 Series, White
SCM0032-B	2-way Double Clip for 4060 series, Black
SCM0034-B	8-way Double Clip for 6060 Series, Black
DMM0002-B	Double Pin, Black
DMM0003-B	Magnet Mount, Complete, Black
DMM0007	Universal Surface Mount, 5 pcs
DMM0011-B	Magnet Mount, Top, Black
DMM0014	4080 Clip
DMM0015	4080 Double Clip
DMM0016	4080 Magnet Mount
DMM0021	4060/61/62/63/71 Concealer
DMM0022	Heavy Duty 4060/61/71 Concealer
DMM0023	Slim 60/61 Concealer
DMM0521	4060/61/62/63/71 Concealer, 5 pcs
DMM0522	Heavy Duty 4060/61/71 Concealer, 5 pcs
DMM0523	Slim 60/61 Concealer, 5 pcs
GM1600	Gooseneck Mount
MHS6005	Holder for Strings, 5 pcs
DUA6028B	Button-Hole Mount, Black, 5 pcs
DUA6028W	Button-Hole Mount, White, 5 pcs
DUA0560	Miniature Foam Windscreen, Black, 5 pcs
DUA0566	Miniature Foam Windscreen, White, 5 pcs
DUA0567	Miniature Foam Windscreen, Beige, 5 pcs
DUA0568	Miniature Foam Windscreen, Brown, 5 pcs
DUA0570	Miniature Foam Windscreen, Color Mix, 8 pcs
DUA0571	4071 Fur Windscreen
DUA0572	4071 Miniature Mesh
DUA0577	4080 Foam Windscreen, Black, 5 pcs
DUA0577-W	4080 Foam Windscreen, White, 5 pcs
BLM6000-B	4060/61/62/63 Boundary Layer Mount, Black
DUA6001	Miniature Grid, Soft Boost, Black, 5 pcs.
DUA6002	Miniature Grid, High Boost, Black, 5 pcs.



Accesorios Lavalier

Modelo	Descripción
DUA6003	Miniature Grid, Soft Boost, Beige, 5 pcs.
DUA6004	Miniature Grid, High Boost, Beige, 5 pcs.
DUA6005	Miniature Grid, Soft Boost, White, 5 pcs.
DUA6006	Miniature Grid, High Boost, White, 5 pcs.
DUA6017	Miniature Grid, Soft Boost, Brown, 5 pcs.
DUA6018	Miniature Grid, High Boost, Brown, 5 pcs.
DUA9103	Subminiature Mesh
DUA9301-B	Subminiature Grid, Metal, Black, 3 pcs.
DUA9301-C	Subminiature Grid, Metal, Brown, 3 pcs.
DUA9301-F	Subminiature Grid, Metal, Beige, 3 pcs.
DUA9301-W	Subminiature Grid, Metal, White, 3 pcs.
DUA9302	Subminiature Paintable Cap, 3 pcs.
DUA9531-B	Subminiature Foam Windscreen, Black, 5 pcs.
DUA9531-C	Subminiature Foam Windscreen, Brown, 5 pcs.
DUA9531-F	Subminiature Foam Windscreen, Beige, 5 pcs.
DUA9531-W	Subminiature Foam Windscreen, White, 5 pcs.
DUA9501	6060/61/66 Makeup Cover, Orange, 5 pcs.
MMA-A	MMA-A Digital Audio Interface



HEADSET

Omni

Modelo	Descripción
6066-OC-R-B00	6066 CORE Omni Headset Mic, Black, MicroDot
6066-OC-R-B03	6066 CORE Omni Headset Mic, Black, 3 pin LEMO
6066-OC-R-B10	6066 CORE Omni Headset Mic, Black, TA4F Mini-XLR
6066-OC-R-B34	6066 CORE Omni Headset Mic, Black, Mini-Jack
6066-OC-R-C00	6066 CORE Omni Headset Mic, Brown, MicroDot
6066-OC-R-C03	6066 CORE Omni Headset Mic, Brown, 3 pin LEMO
6066-OC-R-C10	6066 CORE Omni Headset Mic, Brown, TA4F Mini-XLR
6066-OC-R-C34	6066 CORE Omni Headset Mic, Brown, Mini-Jack
6066-OC-R-F00	6066 CORE Omni Headset Mic, Beige, MicroDot
6066-OC-R-F03	6066 CORE Omni Headset Mic, Beige, 3 pin LEMO
6066-OC-R-F10	6066 CORE Omni Headset Mic, Beige, TA4F Mini-XLR
6066-OC-R-F34	6066 CORE Omni Headset Mic, Beige, Mini-Jack
4466-OC-R-B00	4466 CORE Omni Headset Mic, Black, MicroDot
4466-OC-R-B03	4466 CORE Omni Headset Mic, Black, 3-pin LEMO
4466-OC-R-B10	4466 CORE Omni Headset Mic, Black, TA4F Mini-XLR
4466-OC-R-B34	4466 CORE Omni Headset Mic, Black, Mini-Jack
4466-OC-R-F00	4466 CORE Omni Headset Mic, Beige, MicroDot
4466-OC-R-F03	4466 CORE Omni Headset Mic, Beige, 3-pin LEMO
4466-OC-R-F10	4466 CORE Omni Headset Mic, Beige, TA4F Mini-XLR
4466-OC-R-F34	4466 CORE Omni Headset Mic, Beige, Mini-Jack

Directional

Modelo	Descripción
4488-DC-R-B00	4488 CORE Directional Headset Mic, Black, MicroDot
4488-DC-R-B03	4488 CORE Directional Headset Mic, Black, 3-pin LEMO
4488-DC-R-B10	4488 CORE Directional Headset Mic, Black, TA4F Mini-XLR
4488-DC-R-B34	4488 CORE Directional Headset Mic, Black, Mini-Jack
4488-DC-R-F00	4488 CORE Directional Headset Mic, Beige, MicroDot
4488-DC-R-F03	4488 CORE Directional Headset Mic, Beige, 3-pin LEMO
4488-DC-R-F10	4488 CORE Directional Headset Mic, Beige, TA4F Mini-XLR
4488-DC-R-F34	4488 CORE Directional Headset Mic, Beige, Mini-Jack



HEADSET ACT

Omni

Modelo	Descripción
4066-OC-A-B00-LH	4066 CORE Omni Headset Mic, Black, MicroDot
4066-OC-A-B03-LH	4066 CORE Omni Headset Mic, Black, 3-pin LEMO
4066-OC-A-B10-LH	4066 CORE Omni Headset Mic, Black, TA4F Mini-XLR
4066-OC-A-B34-LH	4066 CORE Omni Headset Mic, Black, Mini-Jack
4066-OC-A-C00-LH	4066 CORE Omni Headset Mic, Brown, MicroDot
4066-OC-A-C03-LH	4066 CORE Omni Headset Mic, Brown, 3-pin LEMO
4066-OC-A-C10-LH	4066 CORE Omni Headset Mic, Brown, TA4F Mini-XLR
4066-OC-A-C34-LH	4066 CORE Omni Headset Mic, Brown, Mini-Jack
4066-OC-A-F00-LH	4066 CORE Omni Headset Mic, Beige, MicroDot
4066-OC-A-F03-LH	4066 CORE Omni Headset Mic, Beige, 3-pin LEMO
4066-OC-A-F10-LH	4066 CORE Omni Headset Mic, Beige, TA4F Mini-XLR
4066-OC-A-F34-LH	4066 CORE Omni Headset Mic, Beige, Mini-Jack
4066-OC-A-B00-LH-S	4066 CORE Omni Headset Mic, Black, MicroDot, Small
4066-OC-A-B03-LH-S	4066 CORE Omni Headset Mic, Black, 3-pin LEMO, Small
4066-OC-A-B10-LH-S	4066 CORE Omni Headset Mic, Black, TA4F Mini-XLR, Small
4066-OC-A-B34-LH-S	4066 CORE Omni Headset Mic, Black Mini-Jack, Small
4066-OC-A-C00-LH-S	4066 CORE Omni Headset Mic, Brown, MicroDot, Small
4066-OC-A-C03-LH-S	4066 CORE Omni Headset Mic, Brown, 3-pin LEMO, Small
4066-OC-A-C10-LH-S	4066 CORE Omni Headset Mic, Brown, TA4F Mini-XLR, Small
4066-OC-A-C34-LH-S	4066 CORE Omni Headset Mic, Brown, Mini-Jack, Small
4066-OC-A-F00-LH-S	4066 CORE Omni Headset Mic, Beige, MicroDot, Small
4066-OC-A-F03-LH-S	4066 CORE Omni Headset Mic, Beige, 3-pin LEMO, Small
4066-OC-A-F10-LH-S	4066 CORE Omni Headset Mic, Beige, TA4F Mini-XLR, Small
4066-OC-A-F34-LH-S	4066 CORE Omni Headset Mic, Beige Mini-Jack, Small



HEADSET ACT

Directional

Modelo	Descripción
4088-DC-A-B00-LH	4088 CORE Directional Headset Mic, Black, MicroDot
4088-DC-A-B03-LH	4088 CORE Directional Headset Mic, Black, 3-pin LEMO
4088-DC-A-B10-LH	4088 CORE Directional Headset Mic, Black, TA4F Mini-XLR
4088-DC-A-B34-LH	4088 CORE Directional Headset Mic, Black, Mini-Jack
4088-DC-A-C00-LH	4088 CORE Directional Headset Mic, Brown, MicroDot
4088-DC-A-C03-LH	4088 CORE Directional Headset Mic, Brown, 3-pin LEMO
4088-DC-A-C10-LH	4088 CORE Directional Headset Mic, Brown, TA4F Mini-XLR
4088-DC-A-C34-LH	4088 CORE Directional Headset Mic, Brown, Mini-Jack
4088-DC-A-F00-LH	4088 CORE Directional Headset Mic, Beige, MicroDot
4088-DC-A-F03-LH	4088 CORE Directional Headset Mic, Beige, 3-pin LEMO
4088-DC-A-F10-LH	4088 CORE Directional Headset Mic, Beige, TA4F Mini-XLR
4088-DC-A-F34-LH	4088 CORE Directional Headset Mic, Beige, Mini-Jack
4088-DC-A-B00-LH-S	4088 CORE Directional Headset Mic, Black, MicroDot, Small
4088-DC-A-B03-LH-S	4088 CORE Directional Headset Mic, Black, 3-pin LEMO, Small
4088-DC-A-B10-LH-S	4088 CORE Directional Headset Mic, Black, TA4F Mini-XLR, Small
4088-DC-A-B34-LH-S	4088 CORE Directional Headset Mic, Black, Mini-Jack, Small
4088-DC-A-C00-LH-S	4088 CORE Directional Headset Mic, Brown, MicroDot, Small
4088-DC-A-C03-LH-S	4088 CORE Directional Headset Mic, Brown, 3-pin LEMO, Small
4088-DC-A-C10-LH-S	4088 CORE Directional Headset Mic, Brown, TA4F Mini-XLR, Small
4088-DC-A-C34-LH-S	4088 CORE Directional Headset Mic, Brown, Mini-Jack, Small
4088-DC-A-F00-LH-S	4088 CORE Directional Headset Mic, Beige, MicroDot, Small
4088-DC-A-F03-LH-S	4088 CORE Directional Headset Mic, Beige, 3-pin LEMO, Small
4088-DC-A-F10-LH-S	4088 CORE Directional Headset Mic, Beige, TA4F Mini-XLR, Small
4088-DC-A-F34-LH-S	4088 CORE Directional Headset Mic, Beige, Mini-Jack, Small



HEADSET FLEX

Omni

Modelo	Descripción
4166-OC-F-B00-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Black, MicroDot
4166-OC-F-B03-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Black, 3-pin LEMO
4166-OC-F-B10-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Black, TA4F Mini-XLR
4166-OC-F-B34-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Black, Mini-Jack
4166-OC-F-C00-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, MicroDot
4166-OC-F-C03-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, 3-pin LEMO
4166-OC-F-C10-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, TA4F Mini-XLR
4166-OC-F-C34-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, Mini-Jack
4166-OC-F-F00-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, MicroDot
4166-OC-F-F03-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, 3-pin LEMO
4166-OC-F-F10-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, TA4F Mini-XLR
4166-OC-F-F34-LH	4166 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, Mini-Jack
4166-OC-F-B00-MH	4166 CORE Omni Flex Headset Mic, 90 mm Boom, Black, MicroDot
4166-OC-F-B10-MH	4166 CORE Omni Flex Headset Mic, 90 mm Boom, Black, TA4F Mini-XLR
4166-OC-F-C00-MH	4166 CORE Omni Flex Headset Mic, 90 mm Boom, Brown, MicroDot
4166-OC-F-F00-MH	4166 CORE Omni Flex Headset Mic, 90 mm Boom, Beige, MicroDot
4166-OC-F-B00-SH	4166 CORE Omni Flex Headset Mic, 40 mm Boom, Black, MicroDot
4166-OC-F-C00-SH	4166 CORE Omni Flex Headset Mic, 40 mm Boom, Brown, MicroDot
4166-OC-F-F00-SH	4166 CORE Omni Flex Headset Mic, 40 mm Boom, Beige, MicroDot
4266-OC-F-B00-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Black, MicroDot
4266-OC-F-B03-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Black, 3-pin LEMO
4266-OC-F-B10-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Black, TA4F Mini-XLR
4266-OC-F-B34-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Black, Mini-Jack
4266-OC-F-C00-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, MicroDot
4266-OC-F-C03-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, 3-pin LEMO
4266-OC-F-C10-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, TA4F Mini-XLR
4266-OC-F-C34-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Brown, Mini-Jack
4266-OC-F-F00-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, MicroDot
4266-OC-F-F03-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, 3-pin LEMO
4266-OC-F-F10-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, TA4F Mini-XLR



Omni

Modelo	Descripción
4266-OC-F-F34-LH	4266 CORE Omni Flex Headset Mic, 110 mm Boom, Beige, Mini-Jack
4266-OC-F-B00-MH	4266 CORE Omni Flex Headset Mic, 90 mm Boom, Black, MicroDot
4266-OC-F-B10-MH	4266 CORE Omni Flex Headset Mic, 90 mm Boom, Black, TA4F Mini-XLR
4266-OC-F-C00-MH	4266 CORE Omni Flex Headset Mic, 90 mm Boom, Brown, MicroDot
4266-OC-F-C03-MH	4266 CORE Omni Flex Headset Mic, 90 mm Boom, Brown, 3-pin LEMO
4266-OC-F-F00-MH	4266 CORE Omni Flex Headset Mic, 90 mm Boom, Beige, MicroDot
4266-OC-F-F10-MH	4266 CORE Omni Flex Headset Mic, 90 mm Boom, Beige, TA4F Mini-XLR

Directional

Modelo	Descripción
4188-DC-F-B00-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Black, MicroDot
4188-DC-F-B03-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Black, 3-pin LEMO
4188-DC-F-B10-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Black, TA4F Mini-XLR
4188-DC-F-B34-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Black, Mini-Jack
4188-DC-F-C00-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, MicroDot
4188-DC-F-C03-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, 3-pin LEMO
4188-DC-F-C10-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, TA4F Mini-XLR
4188-DC-F-C34-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, Mini-Jack
4188-DC-F-F00-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, MicroDot
4188-DC-F-F03-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, 3-pin LEMO
4188-DC-F-F10-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, TA4F Mini-XLR
4188-DC-F-F34-LH	4188 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, Mini-Jack
4188-DC-F-B00-MH	4188 CORE Directional Flex Headset Mic, 100 mm Boom, Black, MicroDot
4188-DC-F-C00-MH	4188 CORE Directional Flex Headset Mic, 100 mm Boom, Brown, MicroDot
4188-DC-F-F00-MH	4188 CORE Directional Flex Headset Mic, 100 mm Boom, Beige, MicroDot
4188-DC-F-F10-MH	4188 CORE Directional Flex Headset Mic, 100 mm Boom, Beige, TA4F Mini-XLR
4188-DC-F-F34-MH	4188 CORE Directional Flex Headset Mic, 100 mm Boom, Beige, Mini-Jack
4288-DC-F-B00-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Black, MicroDot
4288-DC-F-B03-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Black, 3-pin LEMO
4288-DC-F-B10-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Black, TA4F Mini-XLR
4288-DC-F-B34-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Black, Mini-Jack



Directional

Modelo	Descripción
4288-DC-F-C00-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, MicroDot
4288-DC-F-C03-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, 3-pin LEMO
4288-DC-F-C10-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, TA4F Mini-XLR
4288-DC-F-C34-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Brown, Mini-Jack
4288-DC-F-F00-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, MicroDot
4288-DC-F-F03-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, 3-pin LEMO
4288-DC-F-F10-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, TA4F Mini-XLR
4288-DC-F-F34-LH	4288 CORE Directional Flex Headset Mic, 120 mm Boom, Beige, Mini-Jack
4288-DC-F-B00-MH	4288 CORE Directional Flex Headset Mic, 100 mm Boom, Black, MicroDot
4288-DC-F-B10-MH	4288 CORE Directional Flex Headset Mic, 100 mm Boom, Black, TA4F Mini-XLR
4288-DC-F-C00-MH	4288 CORE Directional Flex Headset Mic, 100 mm Boom, Brown, MicroDot
4288-DC-F-C10-MH	4288 CORE Directional Flex Headset Mic, 100 mm Boom, Brown, TA4F Mini-XLR
4288-DC-F-F00-MH	4288 CORE Directional Flex Headset Mic, 100 mm Boom, Beige, MicroDot
4288-DC-F-F10-MH	4288 CORE Directional Flex Headset Mic, 100 mm Boom, Beige, TA4F Mini-XLR

EARSET FLEX

Omni

Modelo	Descripción
4166-OC-F-B00-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Black, MicroDot
4166-OC-F-B03-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Black, 3-pin LEMO
4166-OC-F-B10-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Black, TA4F Mini-XLR
4166-OC-F-B34-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Black, Mini-Jack
4166-OC-F-C00-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, MicroDot
4166-OC-F-C03-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, 3-pin LEMO
4166-OC-F-C10-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, TA4F Mini-XLR
4166-OC-F-C34-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, Mini-Jack
4166-OC-F-F00-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, MicroDot
4166-OC-F-F03-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, 3-pin LEMO
4166-OC-F-F10-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, TA4F Mini-XLR
4166-OC-F-F34-LE	4166 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, Mini-Jack
4166-OC-F-B00-ME	4166 CORE Omni Flex Earset Mic, 90 mm Boom, Black, MicroDot



Modelo	Descripción
4166-OC-F-C00-ME	4166 CORE Omni Flex Earset Mic, 90 mm Boom, Brown, MicroDot
4166-OC-F-F00-ME	4166 CORE Omni Flex Earset Mic, 90 mm Boom, Beige, MicroDot
4166-OC-F-B00-SE	4166 CORE Omni Flex Earset Mic, 40 mm Boom, Black, MicroDot
4166-OC-F-C00-SE	4166 CORE Omni Flex Earset Mic, 40 mm Boom, Brown, MicroDot
4166-OC-F-F00-SE	4166 CORE Omni Flex Earset Mic, 40 mm Boom, Beige, MicroDot
4266-OC-F-B00-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Black, MicroDot
4266-OC-F-B03-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Black, 3-pin LEMO
4266-OC-F-B10-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Black, TA4F Mini-XLR
4266-OC-F-B34-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Black, Mini-Jack
4266-OC-F-C00-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, MicroDot
4266-OC-F-C03-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, 3-pin LEMO
4266-OC-F-C10-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, TA4F Mini-XLR
4266-OC-F-C34-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Brown, Mini-Jack
4266-OC-F-F00-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, MicroDot
4266-OC-F-F03-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, 3-pin LEMO
4266-OC-F-F10-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, TA4F Mini-XLR
4266-OC-F-F34-LE	4266 CORE Omni Flex Earset Mic, 110 mm Boom, Beige, Mini-Jack
4266-OC-F-B00-ME	4266 CORE Omni Flex Earset Mic, 90 mm Boom, Black, MicroDot
4266-OC-F-C00-ME	4266 CORE Omni Flex Earset Mic, 90 mm Boom, Brown, MicroDot
4266-OC-F-F00-ME	4266 CORE Omni Flex Earset Mic, 90 mm Boom, Beige, MicroDot
4266-OC-F-F10-ME	4266 CORE Omni Flex Earset Mic, 90 mm Boom, Beige, TA4F Mini-XLR



Directional

Modelo	Descripción
4188-DC-F-B00-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Black, MicroDot
4188-DC-F-B03-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Black, 3-pin LEMO
4188-DC-F-B10-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Black, TA4F Mini-XLR
4188-DC-F-B34-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Black, Mini-Jack
4188-DC-F-C00-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, MicroDot
4188-DC-F-C03-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, 3-pin LEMO
4188-DC-F-C10-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, TA4F Mini-XLR
4188-DC-F-C34-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, Mini-Jack
4188-DC-F-F00-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, MicroDot
4188-DC-F-F03-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, 3-pin LEMO
4188-DC-F-F10-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, TA4F Mini-XLR
4188-DC-F-F34-LE	4188 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, Mini-Jack
4188-DC-F-B00-ME	4188 CORE Directional Flex Earset Mic, 100 mm Boom, Black, MicroDot
4188-DC-F-C00-ME	4188 CORE Directional Flex Earset Mic, 100 mm Boom, Brown, MicroDot
4188-DC-F-F00-ME	4188 CORE Directional Flex Earset Mic, 100 mm Boom, Beige, MicroDot
4288-DC-F-B00-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Black, MicroDot
4288-DC-F-B03-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Black, 3-pin LEMO
4288-DC-F-B10-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Black, TA4F Mini-XLR
4288-DC-F-B34-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Black, Mini-Jack
4288-DC-F-C00-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, MicroDot
4288-DC-F-C03-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, 3-pin LEMO
4288-DC-F-C10-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, TA4F Mini-XLR
4288-DC-F-C34-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Brown, Mini-Jack
4288-DC-F-F00-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, MicroDot
4288-DC-F-F03-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, 3-pin LEMO
4288-DC-F-F10-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, TA4F Mini-XLR
4288-DC-F-F34-LE	4288 CORE Directional Flex Earset Mic, 120 mm Boom, Beige, Mini-Jack
4288-DC-F-B00-ME	4288 CORE Directional Flex Earset Mic, 100 mm Boom, Black, MicroDot
4288-DC-F-C00-ME	4288 CORE Directional Flex Earset Mic, 100 mm Boom, Brown, MicroDot
4288-DC-F-F00-ME	4288 CORE Directional Flex Earset Mic, 100 mm Boom, Beige, MicroDot
4288-DC-F-F10-ME	4288 CORE Directional Flex Earset Mic, 100 mm Boom, Beige, TA4F Mini-XLR



IN EAR

Modelo	Descripción
4266-OC-I-B00-LH-1	4266 CORE Omni Flex InEar Headset Mic, 110 mm Boom, Black, MicroDot, Single In-Ear
4266-OC-I-F00-LH-1	4266 CORE Omni Flex InEar Headset Mic, 110 mm Boom, Beige, MicroDot, Single In-Ear
4288-DC-I-B00-LH-1	4288 CORE Directional Flex InEar Headset Mic, 120 mm Boom, Black, MicroDot, Single In-Ear
4288-DC-I-F00-LH-1	4288 CORE Directional Flex InEar Headset Mic, 120 mm Boom, Beige, MicroDot, Single In-Ear
4188-DC-I-B00-LH-2	4188 CORE Directional Flex InEar Headset Mic, 120 mm Boom, Black, MicroDot, Dual In-Ear
4188-DC-I-F00-LH-2	4188 CORE Directional Flex InEar Headset Mic, 120 mm Boom, Beige, MicroDot, Dual In-Ear
4288-DC-I-B00-LH-2	4288 CORE Directional Flex InEar Headset Mic, 120 mm Boom, Black, MicroDot, Dual In-Ear
4288-DC-I-F00-LH-2	4288 CORE Directional Flex InEar Headset Mic, 120 mm Boom, Beige, MicroDot, Dual In-Ear

Accesorios

Modelo	Descripción
DUA0531B	Slim Foam Windscreens, Black, 5 pcs
DUA0531C	Slim Foam Windscreens, Brown, 5 pcs
DUA0531F	Slim Foam Windscreens, Beige, 5 pcs
DUA0560	Miniature Foam Windscreen, Black, 5 pcs
DUA0567	Miniature Foam Windscreen, Beige, 5 pcs
DUA0568	Miniature Foam Windscreen, Brown, 5 pcs
DUA0590	4060/61/62/63/66/67/O66 Makeup Cover, Blue, 5 pcs
DUA0591	4088/D88 Makeup Cover, Red, 5 pcs
DUA0592	Slim Makeup Cover, Red, 5 pcs
DUA0523B	Slim Makeup and Moisture Filter, Black, 5 pcs
DUA0523C	Slim Makeup and Moisture Filter, Brown, 5 pcs
DUA0523F	Slim Makeup and Moisture Filter, Beige, 5 pcs
DUA0532B	Headset Clip and Strain Relief, Black, 5 pcs
DUA0532F	Headset Clip and Strain Relief, Beige, 5 pcs
DUA0574	4088 Pop Screen, Black, 5 pcs
DUA0575	4088 Pop Screen, Beige, 5 pcs
DUA0576	4088 Pop Screen, Brown, 5 pcs
DUA6001	Miniature Grid, Soft Boost, Black, 5 pcs.
DUA6002	Miniature Grid, High Boost, Black, 5 pcs.
DUA6003	Miniature Grid, Soft Boost, Beige, 5 pcs.
DUA6004	Miniature Grid, High Boost, Beige, 5 pcs.
DUA6005	Miniature Grid, Soft Boost, White, 5 pcs.



Accesorios

DUA6006	Miniature Grid, High Boost, White, 5 pcs.
DUA6017	Miniature Grid, Soft Boost, Brown, 5 pcs.
DUA6018	Miniature Grid, High Boost, Brown, 5 pcs.
DUA6029F	Miniature Grid 4466, Soft Boost, Beige, 5 pcs.
DUA6030F	Miniature Grid 4466, High Boost, Beige, 5 pcs.
DUA9301-B	Subminiature Grid, Metal, Black, 3 pcs.
DUA9301-C	Subminiature Grid, Metal, Brown, 3 pcs.
DUA9301-F	Subminiature Grid, Metal, Beige, 3 pcs.
DUA9531-B	Subminiature Foam Windscreen, Black, 5 pcs.
DUA9531-C	Subminiature Foam Windscreen, Brown, 5 pcs.
DUA9531-F	Subminiature Foam Windscreen, Beige, 5 pcs.
DUA9501	6060/61/66 Makeup Cover, Orange, 5 pcs.
MMA-A	MMA-A Digital Audio Interface

**INSTRUMENT**

Modelo	Descripción
4099-DC-1-101-A	4099 CORE Stereo Mic, Loud SPL with Clips for Accordion, 2 mics
4099-DC-1-201-B	4099 CORE Mic, Loud SPL with Clip for Bass
4099-DC-1-201-C	4099 CORE Mic, Loud SPL with Clip for Cello
4099-DC-1-101-CM	4099 CORE Mic, Loud SPL with Clamp Mount
4099-DC-2-201-D	4099 CORE Mic, Extreme SPL with Clip for Drum
4099-DC-1-199-G	4099 CORE Mic, Loud SPL with Clip for Guitar
4099-DC-1-101-P	4099 CORE Mic, Loud SPL, Stereo System for Piano, 2 mics
4099-DC-1-199-S	4099 CORE Mic, Loud SPL with Clip for Saxophone
4099-DC-1-101-SM	4099 CORE Mic, Loud SPL with Stand Mount
4099-DC-2-199-T	4099 CORE Mic, Extreme SPL with Clip for Brass
4099-DC-1-101-U	4099 CORE Mic, Loud SPL with Universal Mount
4099-DC-1-199-V	4099 CORE Mic, Loud SPL with Clip for Violin
4099-DC-1	4099 CORE Mic, Loud SPL
4099-DC-2	4099 CORE Mic, Extreme SPL
KIT-4099-DC-4R	4099 CORE Rock Touring Kit, 4 Mics and accessories, Extreme SPL
KIT-4099-DC-4C	4099 CORE Classic Touring Kit, 4 Mics and accessories, Loud SPL
KIT-4099-DC-10R	4099 CORE Rock Touring Kit, 10 Mics and accessories, Extreme SPL
KIT-4099-DC-10C	4099 CORE Classic Touring Kit, 10 Mics and accessories, Loud SPL
KIT-4099-DC-4R-C	4099 CORE Rock Touring Kit, 4 Mics and accessories, Extreme SPL, Cardboard box
KIT-4099-DC-4C-C	4099 CORE Classic Touring Kit, 4 Mics and accessories, Loud SPL, Cardboard box
KIT-4099-DC-10R-C	4099 CORE Rock Touring Kit, 10 Mics and accessories, Extreme SPL, Cardboard Box
KIT-4099-DC-10C-C	4099 CORE Classic Touring Kit, 10 Mics and accessories, Loud SPL, Cardboard Box

Accesorios

Modelo	Descripción
AC4099	Clip for Accordion
BC4099	Clip for Bass
BC4099x	10 x Clip for Bass
CC4099	Clip for Cello
CC4099x	10 x Clip for Cello
CM4099	Clamp Mount
DC4099	Clip for Drum
DC4099x	10 x Clip for Drum



Accesorios

Modelo	Descripción
GC4099	Clip for Guitar
GC4099x	10 x Clip for Guitar
PC4099	Magnet Mount for Piano
PC4099x	10 x Magnet Mount for Piano
SM4099	Stand Mount with a 3/8" thread
STC4099	Clip for Sax, Trumpet
STC4099x	10 x Clip for Sax, Trumpet
UC4099	Universal Mount
UC4099x	10 x Universal Mount
VC4099	Clip for Violin, Mandolin
VC4099x	10 x Clip for Violin, Mandolin
CS4099	Cold Shoe Mount with standard 1/4 in thread
GE4099	Gooseneck Extension 80 mm (3.15 in)
CM1618B00	MicroDot Extension Cable, 1.6 mm, 1.8 m (5.9 ft), Black
CM1610B00	MicroDot Extension Cable, 1.6 mm, 1.0 m (3.3 ft), Black
CM2218B00	MicroDot Extension Cable, 2.2 mm, 1.8 m (5.9 ft), Black
MMA-A	MMA-A Digital Audio Interface

GOOSENECK

Modelo	Descripción
4011-DF-G-B01-015	4011 Cardioid Mic, Black, XLR, 20 cm (8 in) Boom, full Gooseneck
4011-DF-G-B01-030	4011 Cardioid Mic, Black, XLR, 32 cm (13 in) Boom, top and bottom Gooseneck
4011-DF-G-B01-045	4011 Cardioid Mic, Black, XLR, 47 cm (18 in) Boom, top and bottom Gooseneck
4011-DF-G-B01-075	4011 Cardioid Mic, Black, XLR, 77 cm (30 in) Boom, top and bottom Gooseneck
4011-DF-G-B01-120	4011 Cardioid Mic, Black, XLR, 122 cm (48 in) Boom, top and bottom Gooseneck
4018-DF-G-B01-015	4018 Supercardioid Mic, Black, XLR, 20 cm (8 in) Boom, full Gooseneck
4018-DF-G-B01-030	4018 Supercardioid Mic, Black, XLR, 32 cm (13 in) Boom, top and bottom Gooseneck
4018-DF-G-B01-045	4018 Supercardioid Mic, Black, XLR, 47 cm (18 in) Boom, top and bottom Gooseneck
4018-DF-G-B01-075	4018 Supercardioid Mic, Black, XLR, 77 cm (30 in) Boom, top and bottom Gooseneck
4018-DF-G-B01-120	4018 Supercardioid Mic, Black, XLR, 122 cm (48 in) Boom, top and bottom Gooseneck
4097-DC-G-B00-010	4097 CORE Micro Shotgun Mic, Black MicroDot, 10 cm (4 in) full Gooseneck
4098-DC-G-B01-015	4098 CORE Supercardioid Mic, Black, XLR, 20 cm (8 in) Boom, full Gooseneck
4098-DC-G-B01-030	4098 CORE Supercardioid Mic, Black, XLR, 32 cm (13 in) Boom, top and bottom Gooseneck



Modelo	Descripción	u\$s sin IVA
4098-DC-G-B01-045	4098 CORE Supercardioid Mic, Black, XLR, 47 cm (18 in) Boom, top and bottom Gooseneck	
4098-DC-G-B01-075	4098 CORE Supercardioid Mic, Black, XLR, 77 cm (30 in) Boom, top and bottom Gooseneck	
4098-DC-G-B01-120	4098 CORE Supercardioid Mic, Black, XLR, 122 cm (48 in) Boom, top and bottom Gooseneck	
4098-DC-G-B00-015	4098 CORE Supercardioid Mic, Black, MicroDot, 16 cm (6 in) Boom, full Gooseneck	
4098-DC-G-B00-030	4098 CORE Supercardioid Mic, Black, MicroDot, 28 cm (11 in) Boom, top and bottom Gooseneck	
4098-DC-G-B00-045	4098 CORE Supercardioid Mic, Black, MicroDot, 43 cm (17 in) Boom, top and bottom Gooseneck	
4098-DC-G-B00-075	4098 CORE Supercardioid Mic, Black, MicroDot, 77 cm (30 in) Boom, top and bottom Gooseneck	
4098-DC-G-B00-120	4098 CORE Supercardioid Mic, Black, MicroDot, 122 cm (48 in) Boom, top and bottom Gooseneck	
4098-DC-G-W01-015	4098 CORE Supercardioid Mic, White, XLR, 20 cm (8 in) Boom, full Gooseneck	
4098-DC-G-W01-030	4098 CORE Supercardioid Mic, White, XLR, 32 cm (13 in) Boom, top and bottom Gooseneck	
4098-DC-G-W01-045	4098 CORE Supercardioid Mic, White, XLR, 47 cm (18 in) Boom, top and bottom Gooseneck	
4098-DC-G-W00-015	4098 CORE Supercardioid Mic, White, MicroDot, 16 cm (6 in) Boom, full Gooseneck	
4098-DC-G-W00-030	4098 CORE Supercardioid Mic, White, MicroDot, 28 cm (11 in) Boom, top and bottom Gooseneck	
4098-DC-G-W00-045	4098 CORE Supercardioid Mic, White, MicroDot, 43 cm (17 in) Boom, top and bottom Gooseneck	



Disk

Modelo	Descripción
4098-DC-D-B00-045	4098 CORE Supercardioid Tabletop Mic, 43 cm (17 in), Black, MicroDot
4098-DC-D-B01-045	4098 CORE Supercardioid Tabletop Mic, 43 cm (17 in), Black, XLR, P48
4098-DC-D-BUT-045	4098 CORE Supercardioid Tabletop Mic, 43 cm (17 in), Black, unterminated, P48
4098-DC-D-W00-015	4098 CORE Supercardioid Ceiling Mic, 16 cm (6 in), White, MicroDot
4098-DC-D-W01-015	4098 CORE Supercardioid Ceiling Mic, 16 cm (6 in), White, XLR, P48
4098-DC-D-WUT-015	4098 CORE Supercardioid Ceiling Mic, 16 cm (6 in), White, unterminated, P48
4018-DE-D-B01-005	4018 Supercardioid Tabletop Mic, 5 cm (2 in), Black, XLR
4060-OL-D-S01-001	4060 Omni Boundary Layer Mic, Silver and Black, XLR

Floorstand

Modelo	Descripción
4097-DC-F-B01-120	4097 CORE Micro Shotgun Mic, Black, XLR, 122 cm (48 in) Boom, Floor Stand, Choir Mic
4098-DC-F-B01-120	4098 CORE Supercardioid Mic, Black, XLR, 122 cm (48 in) Boom, Floor Stand, Single Mic
4011-DF-F-B01-075	4011 Cardioid Mic, Black, XLR, 77 cm (30 in) Boom, Floor Stand, Single Mic
4011-DF-F-B01-120	4011 Cardioid Mic, Black, XLR, 122 cm (48 in) Boom, Floor Stand, Single Mic
4011-DF-F-B01-120T	4011 Cardioid Mic, Black, XLR, 122 cm (48 in) Boom, Floor Stand, Twin Mic
4018-DF-F-B01-075	4018 Supercardioid Mic, Black, XLR, 77 cm (30 in) Boom, Floor Stand, Single Mic
4018-DF-F-B01-120	4018 Supercardioid Mic, Black, XLR, 122 cm (48 in) Boom, Floor Stand, Single Mic
4018-DF-F-B01-120T	4018 Supercardioid Mic, Black, XLR, 122 cm (48 in) Boom, Floor Stand, Twin Mic

Kits

Modelo	Descripción
KIT-4097-DC-INK	4097 CORE Interview Kit

Accesorios

Modelo	Descripción
TSM4001	Table Shock Mount
CMX2218B00	MicroDot Podium Extension Cable, 19 mm (.75 in) housing
DM6000-BM	Mic Base, Black, MicroDot
DM6000-BX	Mic Base, Black, XLR, P48
DM6000-BU	Mic Base, Black, unterminated, P48
DM6000-WM	Mic Base, White, MicroDot
DM6000-WX	Mic Base, White, XLR, P48
DM6000-WU	Mic Base, White, unterminated, P48
MMP-F15	Modular Active Boom, 20 cm (8 in)



Accesorios

Modelo	Descripción
MMP-F30	Modular Active Boom, 32 cm (13 in)
MMP-F45	Modular Active Boom, 47 cm (18 in)
MMP-F75	Modular Active Boom, 77 cm (30 in)
MMP-F120	Modular Active Boom, 122 cm (48 in)
MMP-FGS	Floor Stand with Modular Active Boom, 122 cm (48 in), Single
MMP-FGT	Floor Stand with Modular Active Boom, 122 cm (48 in), Twin
MMP-FJS	Floor Stand with Modular Active Boom, 77 cm (30 in), Single
DUA0250	Floor Base, Ø250 mm (9.8 in)
KM0500	4097 Vertical pole, 50 cm (20 in), 1 pc.
CM2250B00	MicroDot Extension Cable, 2.2 mm, 5 m (16.4 ft), Black
CM2250W00	MicroDot Extension Cable, 2.2 mm, 5 m (16.4 ft), White
CM22100B00	MicroDot Extension Cable, 2.2 mm, 10 m (32.8 ft), Black
CM22100W00	MicroDot Extension Cable, 2.2 mm, 10 m (32.8 ft), White
CM22200B00	MicroDot Extension Cable, 2.2 mm, 20 m (65.6 ft), Black
CM22200W00	MicroDot Extension Cable, 2.2 mm, 20 m (65.6 ft), White

**PENCIL**

Modelo	Descripción
2006A	2006A Twin Diaphragm Omni Mic
2006C	2006C Compact Twin Diaphragm Omni Mic
2011A	2011A Twin Diaphragm Cardioid Mic
2011C	2011C Compact Twin Diaphragm Cardioid Mic
2011ER	2011ER Twin Diaphragm Cardioid Mic, Rear Cable, XLR
2011ES	2011ES Twin Diaphragm Cardioid Mic, Side Cable, XLR
4006A	4006A Omni Mic
4006C	4006C Compact Omni Mic
4006ER	4006ER Omni Mic, Rear Cable, XLR
4006ES	4006ES Omni Mic, Side Cable, XLR
4011A	4011A Cardioid Mic
4011C	4011C Compact Cardioid Mic
4011ER	4011ER Cardioid Mic, Rear Cable, XLR
4011ES	4011ES Cardioid Mic, Side Cable, XLR
4015A	4015A Wide Cardioid Mic
4015C	4015C Compact Wide Cardioid Mic
4017B	4017B Shotgun Mic
4017B-R	4017B-R Shotgun Mic with Rycote Windshield
4017C	4017C Compact Shotgun Mic
4017C-R	4017C Compact Shotgun Mic with Rycote Windshield
4017ER	4017ER Shotgun Mic, Rear Cable, XLR
4017ES	4017ES Shotgun Mic, Side Cable, XLR
4018A	4018A Supercardioid Mic
4018C	4018C Compact Supercardioid Mic
4018ER	4018ER Supercardioid Mic, Rear Cable, XLR
4018ES	4018ES Supercardioid Mic, Side Cable, XLR
4041-SP	4041-SP Omni Large Diaphragm Mic, P48
4090	4090 Omni Mic, Norm SPL, P48
4091	4091 Omni Mic, Loud SPL, P48



Pre amps

Modelo	Descripción
MMP-A	Mic Preamp
MMP-B	Low Cut and High Boost Mic Preamp
MMP-C	Compact Mic Preamp
MMP-ER	Modular Active Cable, XLR, Rear, 3 m (9.8 ft)
MMP-ES	Modular Active Cable, XLR, Side, 3 m (9.8 ft)
MMP-GR	Modular Active Cable, MicroDot, Rear, 1.8 m (5.9 ft)
MMP-GS	Modular Active Cable, MicroDot, Side, 1.8 m (5.9 ft)

Cápsulas

Modelo	Descripción
MMC2006	Twin Diaphragm Omni Mic Capsule
MMC2011	Twin Diaphragm Cardioid Mic Capsule
MMC4006	Omni Mic Capsule
MMC4011	Cardioid Mic Capsule
MMC4015	Wide Cardioid Mic Capsule
MMC4017	Shotgun Mic Capsule
MMC4018	Supercardioid Mic Capsule

Kits stereo

Modelo	Descripción
3506A	4006A Stereo Kit
3511A	4011A Stereo Kit
3511ES	4011ES Stereo Kit
3532-SP	4041-SP Stereo Kit



Pares stereo

Modelo	Descripción
ST2006A	2006A Stereo Pair with Clips and Windscreens in Peli Case
ST2006C	2006C Stereo Pair with Clips and Windscreens in Peli Case
ST2011A	2011A Stereo Pair with Clips and Windscreens in Peli Case
ST2011C	2011C Stereo Pair with Clips and Windscreens in Peli Case
ST4006A	4006A Stereo Pair with Clips and Windscreens in Peli Case
ST4006C	4006C Stereo Pair with Clips and Windscreens in Peli Case
ST4011A	4011A Stereo Pair with Clips and Windscreens in Peli Case
ST4011C	4011C Stereo Pair with Clips and Windscreens in Peli Case
ST4015A	4015A Stereo Pair with Clips and Windscreens in Peli Case
ST4015C	4015C Stereo Pair with Clips and Windscreens in Peli Case

Accesorios

Modelo	Descripción
CSM4000	Compact Shock Mount
CXO4000	Compact XY/ORTF Stereo Holder
GM1500	Gooseneck Mount
GSM4000	Gooseneck Shock Mount
MC4001	Microphone Clip
SB0400	Stereo Boom
SBS0400	Stereo Boom with Shock Mounts
SM1500	Shock Mount
SM4000-C	MMP-C Suspension Mount
TB4000	Table Base
UA0639	Microphone Clip
UA0836	Stereo Boom with Holders
UA0837	Stereo Boom excluding Holders
UA0961	Microphone Holder
UA0897	Shock Mount
DAO4010	Cable with Slim XLR Connector, 10 m (33 ft)
DAO4020	Cable with Slim XLR Connector, 20 m (66 ft)
APE30RS	4006A Acoustic Pressure Equalizer, 30 mm Ball
APE40RS	4006A Acoustic Pressure Equalizer, 40 mm Ball
APE50RS	4006A Acoustic Pressure Equalizer, 50 mm Ball
DUA0020	Foam Windscreen, Ø19 mm, Length 56 mm (2.2 in)
DUA0028	Foam Windscreen, Ø19, Length 72 mm (2.8 in)
DUA0040	Foam Windscreen for 4041
DUA0041	Foam windscreen for Active Cable Mics



Accesorios

Modelo	Descripción	u\$s sin IVA
DUA0073	Foam Windscreen for 4017B Shotgun Mic	
DUA0573	4090/4091 Foam Windscreen	
RWK4017B	4017B Rycote Windshield Kit	
RWK4017C	4017C Rycote Windshield Kit	
UA0777	Nose Cone	
UA0896	Foam Windscreen, Ø19, Length 92 mm (3.6 in)	

**HANDHELD****Non Modular**

Modelo	Descripción
2028-B-B01	2028 Supercardioid Vocal Mic, Wired DPA Handle, Black
2028-B-SL1	2028 Supercardioid Vocal Mic, SL1 Adapter (Shure/Sony/Lectrosonics), Black
2028-B-SE2	2028 Supercardioid Vocal Mic, SE2 Adapter (Sennheiser 2000/6000/9000/evolution/D1), Black

Modular

Modelo	Descripción
4018V-B-B01	d:facto 4018V Softboost Supercardioid Mic, Wired DPA Handle, Black
4018V-B-SL1	d:facto 4018V Softboost Supercardioid Mic, SL1 Adapter (Shure/Sony/Lectrosonics), Black
4018V-B-WI2	d:facto 4018V Softboost Supercardioid Mic, WI2 Adapter (Wisycorn), Black
4018V-B-SE2	d:facto 4018V Softboost Supercardioid Mic, SE2-ew Adapter (Sennheiser 2000/6000/9000/evolution/D1), Black
4018V-N-SE2	d:facto 4018V Softboost Supercardioid Mic, SE2-ew Adapter (Sennheiser 2000/6000/9000/evolution/D1), Nickel
4018V-B-SE5	d:facto 4018V Softboost Supercardioid Mic, SE5 Adapter (Sennheiser 5200), Black
4018V-N-SE5	d:facto 4018V Softboost Supercardioid Mic, SE5 Adapter (Sennheiser 5200), Nickel
4018VL-B-B01	d:facto 4018VL Linear Supercardioid Mic, Wired DPA Handle, Black
4018VL-B-SL1	d:facto 4018VL Linear Supercardioid Mic, SL1 Adapter (Shure/Sony/Lectrosonics), Black
4018VL-B-WI2	d:facto 4018VL Linear Supercardioid Mic, WI2 Adapter (Wisycorn), Black
4018VL-B-SE2	d:facto 4018VL Linear Supercardioid Mic, SE2-ew Adapter (Sennheiser 2000/6000/9000/evolution/D1), Black
4018VL-N-SE2	d:facto 4018VL Linear Supercardioid Mic, SE2-ew Adapter (Sennheiser 2000/6000/9000/evolution/D1), Nickel
4018VL-B-SE5	d:facto 4018VL Linear Supercardioid Mic, SE5 Adapter (Sennheiser 5200), Black
4018VL-N-SE5	d:facto 4018VL Linear Supercardioid Mic, SE5 Adapter (Sennheiser 5200), Nickel

Cápsulas

Modelo	Descripción
MMC4018V	d:facto Softboost Supercardioid Vocal Mic Capsule
MMC4018VL	d:facto Linear Supercardioid Vocal Mic Capsule



Adaptadores

Modelo	Descripción
FAADPA2B	d:facto DPA Handle for wired
FAASLIB	SL1 Adapter for Handheld TX (Shure/Sony/Lectrosonics)
FAAWI2B	WI2 Adapter for Handheld TX (Wiscom)
FAASE2-ewB	SE2-ew Adapter for Handheld TX (Sennheiser 2000/6000/9000/evolution/D1)
FAASE5B	SE5 Adapter for Handheld TX (Sennheiser 5200)

Accesorios

Modelo	Descripción
DUA0710	Vocal Mic Grid, Complete Assembly, Black finish
DUA0710G	Vocal Mic Grid, Complete Assembly, Gold finish
DUA0710N	Vocal Mic Grid, Complete Assembly, Nickel finish
DUA0703	Vocal Mic Foam Windscreen

SURROUND

Modelo	Descripción
5100	5100 Mobile 5.1 Surround Mic

Surround kits

Modelo	Descripción
5006-11A	Surround Kit with 3 x 4006A, 2 x 4011A, Clips, Windscreens in Peli Case
5006A	Surround Kit with 5 x 4006A, Clips, Windscreens in Peli Case
5015A	Surround Kit with 5 x 4015A, Clips, Windscreens in Peli Case

Accesorios

Modelo	Descripción
S5	Surround/Decca Tree Mount
S5 Bundle	Surround/Decca Tree Mount for Surround, Mic Kit only
OC5100	5100 Outdoor Cover
WJ5100	5100 Fur Windscreen

**ADAPTERS**

Modelo	Descripción
DAD3050	Adapter: TOA WM360/4310 (for Low DC Microphones)
DAD3051	Adapter: Ramsa WX-RP410 (for Low DC Microphones)
DAD3056	Adapter: Lectrosonics LM, SM, UM Series (for Low DC Microphones)
DAD3057	Adapter: Zaxcom TRX900 (for Low DC Microphones)
DAD4099-BC	Adapter: MicroDot to XLR with Belt Clip & Low Cut
DAD6001-BC	Adapter: MicroDot to 3-pin XLR with Belt Clip
DAD6003	Adapter: Sennheiser SK 50/250/3063/5012/6000/9000
DAD6004	Adapter: Audio Ltd. Tx 2000/Tx 2020/Tx 2040
DAD6008	Adapter: Sony DWT-B01/WRT820/WRT860/WRT8
DAD6010	Adapter: Shure U1/UR1/UT1/SC1/SLX1/ULX1/GLXD1/ULXD1/QLXD1, Axient Digital, TOA WM4300, PGX1, Line 6 XD-V70L
DAD6017	Adapter: AKG PT 60/80/81/400/450/4000 Samson UT1L, VT2L
DAD6019	Adapter: Sony Freedom WRT 805
DAD6021	Adapter: AT ATW-T101 (U100), Lectrosonics UHF Systems (Low Level)
DAD6032	Adapter: Beyerdyn. OPUS 300/500/800/900, Mipro ACT-71T/ACT-7T/ACT-707T/TE/TM/TS/MT103/303/801/808
DAD6033	Adapter: Audio-Technica ATW-T1000 D/ATW-T310/AEW-T1000/ATW-T701
DAD6034	Adapter: Sennheiser Evolution/G2/G3/D1, X2 Digital Wireless, Audio Ltd En2 TX
DAD6035	Adapter: Audio Ltd. En2 MiniTX
DAD6040	Adapter: Audio-Technica ATW-T3201, ATW-T5201, ATW-T6001S